

Freeform Search

Database: US Pre-Grant Publication Full-Text Database
 US Patents Full-Text Database
 US OCR Full-Text Database
 EPO Abstracts Database
 JPO Abstracts Database
 Derwent World Patents Index
 IBM Technical Disclosure Bulletins

126 and 134

Term:

Display: 10 **Documents in Display Format:** - **Starting with Number** 1

Generate: ☐ Hit List ☒ Hit Count ☐ Side by Side ☐ Image

Search

Clear

Interrupt

Search History

DATE: Friday, September 14, 2007 [Purge Queries](#) [Printable Copy](#) [Create Case](#)

<u>Set Name</u> side by side	<u>Query</u>	<u>Hit Count</u>	<u>Set Name</u> result set
<i>DB=PGPB,USPT,USOC,EPAB,JPAB,DWPI,TDBD; PLUR=YES; OP=ADJ</i>			
<u>L38</u>	126 and 134	2	<u>L38</u>
<u>L37</u>	135 not L36	22	<u>L37</u>
<u>L36</u>	130 or 131 or 132 or 133	12	<u>L36</u>
<u>L35</u>	127 and L34	23	<u>L35</u>
<u>L34</u>	agent address	1220	<u>L34</u>
<u>L33</u>	server and L32	6	<u>L33</u>
<u>L32</u>	11 and home agent	6	<u>L32</u>
<u>L31</u>	126 and L28	7	<u>L31</u>
<u>L30</u>	126 and 127	1	<u>L30</u>
<u>L29</u>	127 and L28	18	<u>L29</u>
<u>L28</u>	decentraliz\$7	14800	<u>L28</u>
<u>L27</u>	anycast	285	<u>L27</u>
<u>L26</u>	124 and L25	123	<u>L26</u>
<u>L25</u>	protocol	549637	<u>L25</u>
<u>L24</u>	122 and L23	123	<u>L24</u>
<u>L23</u>	stor\$3 same address	401324	<u>L23</u>

<u>L22</u>	l20 and L21	124	<u>L22</u>
<u>L21</u>	message same address	96896	<u>L21</u>
<u>L20</u>	l18 and L19	125	<u>L20</u>
<u>L19</u>	attribute	281630	<u>L19</u>
<u>L18</u>	l15 and l16 and L17	133	<u>L18</u>
<u>L17</u>	list information	10745	<u>L17</u>
<u>L16</u>	first same second	5974165	<u>L16</u>
<u>L15</u>	l4 and L14	1117	<u>L15</u>
<u>L14</u>	address and L13	3856	<u>L14</u>
<u>L13</u>	server same shar\$3 same load\$3	5070	<u>L13</u>
<u>L12</u>	l1 and L11 and l9 and l4	1	<u>L12</u>
<u>L11</u>	anycast address	150	<u>L11</u>
<u>L10</u>	l5 and L9	2	<u>L10</u>
<u>L9</u>	home agent	3833	<u>L9</u>
<u>L8</u>	l5 and l6	2	<u>L8</u>
<u>L7</u>	l6 and L6	6840	<u>L7</u>
<u>L6</u>	IPv6	6840	<u>L6</u>
<u>L5</u>	l3 and L4	25	<u>L5</u>
<u>L4</u>	group same interfaces	92667	<u>L4</u>
<u>L3</u>	l1 and L2	71	<u>L3</u>
<u>L2</u>	address same protocol	90066	<u>L2</u>
<u>L1</u>	collect\$3 same attribute same load	443	<u>L1</u>

END OF SEARCH HISTORY

"INTERFERENCE"

Refine Search**Search Results -**

Terms	Documents
(server same first information same second information same processing equipment same first network compliant) and (collecting attribute same load information) and (storing information same terminal equipment same second network compliant) and (generating same list information) and (sending same list information)	1

Database:

US Pre-Grant Publication Full-Text Database

US Patents Full-Text Database

US OCR Full-Text Database

EPO Abstracts Database

JPO Abstracts Database

Derwent World Patents Index

IBM Technical Disclosure Bulletins

Search:

L1

Refine Search

Recall Text



Clear

Interrupt

Search History
DATE: Friday, September 14, 2007 [Purge Queries](#) [Printable Copy](#) [Create Case](#)

Set
Name Query
 side by
 side

Hit
Count
Set
Name
 result
 set

DB=PGPB; PLUR=YES; OP=ADJ

(server same first information same second information same processing
 equipment same first network compliant) and (collecting attribute same load
 information) and (storing information same terminal equipment same second
 network compliant) and (generating same list information) and (sending same
 list information)

1 L1

END OF SEARCH HISTORY

'INTERFERENCE SEARCH'

Hit List

[First Hit](#)[Clear](#)[Generate Collection](#)[Print](#)[Fwd Refs](#)[Bkwd Refs](#)[Generate OACS](#)

Search Results - Record(s) 1 through 1 of 1 returned.

☐ 1. Document ID: US 20040063402 A1

L1: Entry 1 of 1

File: PGPB

Apr 1, 2004

DOCUMENT-IDENTIFIER: US 20040063402 A1

TITLE: Method and apparatus for mobile communication utilizing load balancing

Detail Description Paragraph:

[0216] Included in the programming (software) of the general/specialized computer or microprocessor are software modules for implementing the teachings of the present invention, including, but not limited to, collecting attribute and load information from the second information processing equipment, storing information corresponding to an address acquired by terminal equipment in a second network compliant with the protocol and to an address assigned to terminal

CLAIMS:

1. A server in a first network compliant with a protocol, the server comprising: a first information processing equipment including a representative function and an interface having an address indicating a group of interfaces; a second information processing equipment without the representative function, wherein the first information processing equipment further includes a collecting device configured to collect attribute and load information from the second information processing equipment, wherein the second information processing equipment includes a storing device configured to store information corresponding to an address acquired by terminal equipment in a second network compliant with the protocol and to an address assigned to terminal equipment in the first network, wherein the first information processing equipment further includes a listing device configured to generate list information from the attribute and load information collected from the second information processing equipment and a sending device configured to send the list information the terminal equipment when the server receives a message addressed to the address indicating the group of interfaces.

9. A method for mobile communication for a server in a first network compliant with a protocol, wherein the server includes a first information processing equipment with a function and a second information processing equipment without the function, wherein the first information processing equipment includes an interface having an address indicating a group of interfaces, the method comprising: collecting attribute and load information from the second information processing equipment; storing information corresponding to an address acquired by terminal equipment in a second network compliant with the protocol and to an address assigned to terminal equipment in the first network; generating list information from the attribute and load information collected from the second information processing equipment; receiving a message addressed to the address indicating the group of interfaces; and sending the list information.

12. The method of claim 9, further comprising: storing a set of entries including a

source address of a message addressed to the address indicating the group of interfaces and list information sent to the source address; and referring to the set of entries when the first information processing equipment receives a message addressed to the address indicating the group of interfaces; when the source address of the message addressed to the address indicating the group of interfaces exists in a storage area storing the set of entries, reading the list information from the storage area and sending the list information to a sender of the message.

14. A computer-readable medium carrying one or more sequences of one or more instructions for mobile communication for a server in a first network compliant with a protocol, wherein the server includes a first information processing equipment with a function and a second information processing equipment without the function, wherein the first information processing equipment includes an interface having an address indicating a group of interfaces, the one or more sequences of one or more instructions including instructions which, when executed by one or more processors, cause the one or more processors to perform the steps of: collecting attribute and load information from the second information processing equipment; storing information corresponding to an address acquired by terminal equipment in a second network compliant with the protocol and to an address assigned to terminal equipment in the first network; generating list information from the attribute and load information collected from the second information processing equipment; receiving a message addressed to the address indicating the group of interfaces; and sending the list information.

Full	Title	Citation	Front	Review	Classification	Date	Reference	Sequences	Attachments	Claims	KWIC	Draw. Da
------	-------	----------	-------	--------	----------------	------	-----------	-----------	-------------	--------	------	----------

Clear

Generate Collection

Print

Fwd Refs

Bkwd Refs

Generate OACS

Terms	Documents
(server same first information same second information same processing equipment same first network compliant) and (collecting attribute same load information) and (storing information same terminal equipment same second network compliant) and (generating same list information) and (sending same list information)	1

Display Format: KWIC

Change Format

[Previous Page](#)[Next Page](#)[Go to Doc#](#)

"INTERFERENCE SEARCH" RESULTS



US 20040063402A1

(19) **United States**

(12) **Patent Application Publication**
Takeda et al.

(10) Pub. No.: **US 2004/0063402 A1**

(43) Pub. Date: **Apr. 1, 2004**

(54) **METHOD AND APPARATUS FOR MOBILE COMMUNICATION UTILIZING LOAD BALANCING**

Publication Classification

(51) Int. Cl.⁷ **H04Q 7/20**

(52) U.S. Cl. **455/41.1; 455/414.1; 455/446**

(75) Inventors: **Yukiko Takeda**, Tokorozawa (JP);
Hidehori Inouchi, Higashimurayama (JP);
Takehiro Morishige, Hachioji (JP);
Koh Ohnishi, Yokohama (JP)

(57) ABSTRACT

A method and apparatus are provided for mobile communication utilizing load balancing. When a home agent (HA) consists of one or more servers with each server being assigned a Mobile IPv6 Home-Agents Anycast Address, a nearby router does not store the link-layer addresses with respect to the Anycast addresses of the servers in its neighbor cache. Consequently, load balancing between or among the servers could not be performed. To solve this problem, in one example, an HA is provided that comprises a representative HA and distributed HAs. The representative HA is assigned an Anycast Address. The representative HA includes a collecting device configured to collect HA lists and load information from the distributed HAs. The representative HA dynamically creates a HA list and sends the HA list to a mobile node (MN). The MN registers its current location with an IIA from the HA list included in a Home Agent Address Discovery Reply message. The load on the HA can then be shared by the servers constituting the HA.

Correspondence Address:

Stanley P. Fisher
Reed Smith LLP
Suite 1400
3110 Fairview Park Drive
Falls Church, VA 22042-4503 (US)

(73) Assignee: **Hitachi, Ltd.**

(21) Appl. No. **10/606,259**

(22) Filed: **Jun. 26, 2003**

(30) **Foreign Application Priority Data**

Sep. 26, 2002 (JP) 2002-280154

